Index to Volume 37

Author Index

A

ABRAMOVICI H, BRANDES JM, BETTER OS, PERETZ A, PALDI E: Menstrual cycle and reproductive potential after kidney transplantation: Report of 2 patients, 121–125

ABRAMOVICI H: *see* BRANDES JM

ACEVEDO HF, CAMPBELL EA, HAYESLIP DW, GILMORE J, MERKOW LP, FRICH JC JR, GRAUER RC: Urinary cholesterol: IV. Its excretion in women with neoplasms of the genital system, 425–436

ACEVEDO HF: *see* MERKOW LP

ACOSTA AA, MABRAY CR, KAUFMAN RH: Intrauterine pregnancy and coexistent pelvic inflammatory disease, 282–285

ADRIAN DC: *see* SHAPIRO LH

AICKIN DR, CAMPBELL DG: Anomalous amniotic fluid bilirubin after hepatitis in an Rh immunized patient, 689–690

AKPATA SO: *see* EVANS HE

ALBERT RO: Automatic staplers for vaginal hysterectomy and colpoplasties: *Instrument & Method*, 297–307

ALLEN MS JR, TURNER UG III: Twin birth—Identical or fraternal twins? 538–542

ALTSHULER GP: *see* KIM CK

AMSTEY MS: Management of pregnancy complicated by genital herpes virus infection, 515–520

ANDROS GJ: *see* GOODNER DM

ARNAS GM: *see* GOODNER DM

AUERBACH VH: *see* O'NEILL RT

AURE JC, HØEG K, KOLSTAD P: Clinical and histologic studies of ovarian carcinoma: Long-term follow-up of 990 cases, 1–9

AURE JC, HØEG K, KOLSTAD P: Mesonephroid tumors of the ovary: Clinical and histopathologic studies, 860–867

AYALON D: *see* TOAFF R

AYERS LR, DROSMAN S, SALTZSTEIN SL: Iatrogenic paracervical implantation of fetal tissue during therapeutic abortion: *A Case Report*, 757–762

AZOURY RS: *see* BARAKAT BY

AZOURY RS, WOODRUFF JD: Primary ovarian sarcomas: Report of 43 cases from the Emil Novak Ovarian Tumor Registry: *Views and Reviews*, 920–942

B

BAGGISH MS, WOODRUFF JD: Adenoid basal lesions of the cervix, 807–819

BAKI A: *see* EVANS HE

BARAKAT BY, AZOURY RS, JONES HW JR: Determination of fetal sex during the second trimester of pregnancy: A reliable culture method: *Instrument & Method*, 134–140

BARBER HRK, O'NEIL WH: Recurrent cervical cancer after treatment by a primary surgical program, 165–172

BARDEN TP: Inhibition of human premature labor by mesuprine hydrochloride, 98–105

BARNES AC: The opening of the second front: Dr. Berman and the ladies: *After Office Hours*, 320–322

BARNESS LA: *see* O'NEILL RT

BAUM JD: Nutritional value of human milk: *Editorial*, 126–130

BECK WW JR, MCEVOY D, WALLACH EE: Combined dexamethasone and human chorionic gonadotropin in diagnosis of polycystic ovarian disease, 211–217

BENDEL RP: *see* CERVENKA J

BENIRSCHKE K: *see* KIM CK

BERNSTEIN ED: *see* LAUFE LE

BETTER OS: *see* ABRAMOVICI H

BIRK SA: *see* SPELLACY WN

BIRNBAUM SJ: Prenatal diagnosis of mongolism by X-ray, 394–395

BLAIR OM: *see* PALOMAKI JF

BLAKEY J: *see* KRANTZ KE

BETTER OS: *see* ABRAMOVICI H

BIRK SA: *see* SPELLACY WN

BOBA A, LINKIE DM, PLOTZ EJ: Fetal effects of spinal hypotension: Observations in the dog at term of pregnancy, 247–252

BOELES JTHF: *see* WOLFS G

BOLOGNESE RJ, CORSON SL, TOUCHSTONE JC, LAKOFF KM: Correlation of amniotic fluid estriol with fetal age and well-being, 437–441

BOWES WA JR: *see* SABOL ED

BOYCE J, WRIGHT C: Catecholamine response to radical pelvic operation, 902–905

BRANDES JM, ABRAMOVICI H, PERETZ A: Passage of inulin from gravida to fetus in normal pregnancy and during cesarean section, 877–880

Pages 1–164, January; 165–324, February; 325–486, March; 487–646, April; 647–806, May; 807–968, June.

BRANDES JM: *see* ABRAMOVICI H
BRENNER WE: *see* CRIST T
BRIDENBAUGH LD: *see* MOORE DC
BRIDENBAUGH PO: *see* MOORE DC
BUHI WC: *see* SPELLACY WN
BURT RL: The fifth horseman: A specter of therapeutic abortion: *Editorial*, 616–617
BYRD JR: *see* MCDONOUGH PG

C

CAMPBELL EA: *see* ACEVEDO HF
CAMPBELL DG: *see* AICKIN DR
CANALES ES, ZARATE A, CASTELAZO-AYALA L: Primary amenorrhea associated with polycystic ovaries: Endocrine, cytogenetic and therapeutic considerations, 205–210
CAPRARO EJ: *see* CAPRARO VJ
CAPRARO VJ, CAPRARO EJ: Vaginal aspirate studies in children: An atraumatic method: *Instrument and Method*, 462–464
CARR DH: Chromosome studies in selected spontaneous abortions III. Early pregnancy loss, 752–756
CASTELAZO-AYALA L: *see* CANALES ES
CATALANO LW JR: *see* LONDON WT
CELLIER KM: *see* SYMONDS EM
CERVENKA J, GORLIN RJ, BENDEL RP: Prenatal sex determination: Detection of "Y Body": *Instrument and Method*, 912–914
CHANEN W, HOLLYOCK VE: Colposcopy and electrocoagulation-diathermy for cervical dysplasia and carcinoma in situ: *Ideas and Actions*, 624–629
CHANG-SILVA AW, MUDD EH, GARCIA CR: Psychosexual response and attitudes toward family planning: A study of 100 pregnant women: *Ideas and Actions*, 289–296
CHUANG JT, HEWETT WJ, HRESHCHYSHYN M: Death after hysterosalpingography in choriocarcinoma with pelvic abscess: *Report of a case*, 543–545
CLEARY RE: *see* KIM MH
COLELLA JJ: *see* IUPPA JB
COMPTON HL: Conjoin'd twins, 27–33
CONNOLLY KS: *see* KIM CK
CORNELL GW: *see* HARBERT GM JR
CORNOG JL: *see* CZERNOBILSKY B
CORSON SL: *see* BOLOGNESE RJ
CRIST T, BRENNER WE, EDWARDS JR: Adenoacanthoma originating in endometriosis of the ovary: *A Case Report*, 419–424
CROCKER DW: *see* SHIRLEY RL
CUSHNER IM: *see* WOLF SR
CZERNOBILSKY B, CORNOG JL: Squamous predominance in adenoacanthoma of adnexa: *Report of a case*, 555–559

D

DAVIS BA: Salivary vulvitis, 238–240
DECKERS PJ, KETCHAM AS, SUGERBAKER EV, HOYE RC, THOMAS LB: Pelvic exenteration for primary carcinoma of the uterine cervix, 649–661
DIAZ A, KANTOR HI: Dorsal slit: A circumcision alternative: *Instrument and Method*, 620–623
DIGIACOMO AM: *see* SHAPIRO LH
DIXON GD: *see* PETERSON EN
DROSMAN S: *see* AYERS LR
DUDLEY AG, MARKHAM SM, MCNIE TMCG: Elective versus indicated midforceps delivery: A comparative study, 19–23
DUSTIN RW: *see* MARGULIS RR

E

EDWARDS JR: *see* CRIST T
EHRLICH JC: *see* NEY C
ESTELA LA: *see* GUENTER KE
EVANS HE, AKPATA SO, BAKI A: Relationship of the birth canal to the bacterial flora of the neonatal respiratory tract and skin, 94–97

F

FADEL HE: *see* MAHRAN M
FARABOW S: *see* WEINSTEIN L
FARQUHAR JB: *see* JENKINS DM
FEKETY FR JR: *see* HARWICK HJ
FISCHER K: *see* JAMES AE JR
FISHER P: *see* FROEHLICH LA
FLESSA HC: *see* STANDER RW
FORT AT: Adequate prenatal nutrition: *Editorial*, 286–288
FOX H, LANGLEY FA: Leukocytic infiltration of the placenta and umbilical cord: A clinicopathologic study, 451–458
FRANKLIN CAB, GALTON VA, INGBAR SH: Urinary pigment creatinine ration in normal and molar pregnancy, 763–766
FRANKLIN EW III, RUTLEDGE FD: Prognostic factors in epidermoid carcinoma of the vulva, 892–901
FREEDMAN MA: *see* MCDONOUGH PG
FRENCH GL, MACLENNAN AH, WYNN RM: Nucleoside phosphates in human amnion: Ultrastructural localization, 173–182
FRICH JC JR: *see* ACEVEDO HF
FRILDRICH EG JR: Topical testosterone for benign vulvar dystrophy, 679–688
FROEHLICH LA, FUJIKURA T, FISHER P: Chorioangiomas and their clinical implications, 51–59
FROEHLICH LA: *see* FUJIKURA T
FUCCILLO DA: *see* LONDON WT
FUERTES-DE LA HABA A, VEGA-DE RODRIGUEZ G, PELEGRINA I: Carbohydrate metabolism in long-term contraceptive users, 220–224

FUJIKURA T, FROEHLICH LA: Twin Placentation and zygosity, 34–43
FUJIKURA T: *see* FROEHLICH LA

G

GALTON VA: *see* FRANKLIN CAB
GARCIA CR: *see* CHANG-SILVA AW
GARGANO FP: *see* SPELLACY WN
GERSHT N: *see* HALBRECHT I
GIBBONS JM JR: *see* IANNIRUBERTO A
GIBSON JL: *see* IUPPA JB
GIBSON JL: *see* KELLY CS
GIBSON JL: *see* SABOL ED
GILMORE J: *see* ACEVEDO HF
GILMORE J: *see* MERKOW LP
GLASS RH: *see* VAIDYA RA
GLUECK HI: *see* STANDER RW
GOGOL G: *see* TOAFF R
GOLDSTEIN PJ: *see* STEWART GK
GOODLIN RC: Aortocaval compression during cesarean section: A cause of newborn depression, 704–707
GOODLIN RC: Importance of the lateral position during labor, 700–703
GOODNER DM, ARNAS GM, ANDROS GJ, WATERHOUSE RB: Psychogenic polydipsia causing acute water intoxication in pregnancy at term: *A Case Report*, 873–876
GORLIN RJ: *see* CERVENKA J
GRAFF G: Adenocarcinoma of the ovary complicated by ectopic pregnancy: *A Case Report*, 218–219
GRAFF C: *see* SHARF M
GRAUER RC: *see* ACEVEDO HF
GREENBERG WV: *see* MERKOW LP
GRUENWALD P: Fetal deprivation and placental insufficiency: *Editorial*, 906–908
GUENTER KE, ESTELA LA: Rubella antibody determination among pregnant women in US military communities in Europe, 343–347
GUMPEL JA: *see* KIM MH
GUSDON JP JR: Immunologic studies of the fetal allograft, 192–204
GUSDON JP JR: *see* WEINSTUIN L

H

HALBRECHT I, KLETZKY O, KOMLOS L, LOTKER M, GERSHT N: Trisomy-D cyclops: *A Case Report*, 391–393
HAMMEL D: *see* O'NEILL RT
HARBERT GM JR, CORNELL GW, WAX SH, THORNTON WN JR: Spontaneous uterine activity in nonpregnant primates (*Macaca mulatta*), 487–500
HARWICK HJ, PURCELL RH, IUPPA JB, FEKETY FR JR: *Mycoplasma hominis* and postpartum febrile complications, 767–770
HASSON HM: The wing sound: A new uterine measuring devise: *Instrument and Method*, 915–917
HAYESLIP DW: *see* ACEVEDO HF
HEADINGTON JT: *see* LEDGER WJ
HEDLIN AM, MONKHOUSE FC: Changes in spontaneous fibrinolytic activity during use of oral contraceptives, 225–232
HENDERSON SR, LUND CJ: Severe preeclampsia, disseminated intravascular coagulopathy and hydatidiform mole complicating a 20-week pregnancy with a fetus, 724–731
HENLEY C, RANKIN RP JR: Pelvic kidney, 612–615
HEWITT WJ: *see* CHUANG JT
HILL WC, PEARSON JW: Outpatient intravenous heparin therapy for antepartum iliofemoral thrombophlebitis: *Instrument, and Method*, 787–791
HILL WC: *see* MILES PA
HINES JR: *see* SCHAEFFER AJ
HØEG K: *see* AURE JC
HOLLYOCK VE: *see* CHANEN W
HON EH: *see* PAUL RH
HOYE RC: *see* DECKERS PJ
HRESHCHYSHYN M: *see* CHUANG JT
HULKA JF: Multichannel automatic natality sensor with instantaneous computer-integrator and audiovisual recorder: A new instrument: *After Office Hours*, 155–157

I

IANNIRUBERTO A, GIBBONS JM JR: Predicting fetal weight by ultrasonic B-scan cephalometry: An improved technic with disappointing results, 691–696
INGBAR SH: *see* FRANKLIN CAB
ISACSON P, KEHRER AF, WILSON H, WILLIAMS S: Comparative study of live, attenuated rubella virus vaccines during the immediate puerperium, 332–337
IUPPA JB: *see* HARWICK HJ
IUPPA JB, SMITH GA, COLELLA JJ, GIBSON JL: Succinylcholine effect on human myometrial activity, 591–595

J

JABS C: *see* MARGULIS RR
JAMES AE JR, STRAUSS HW, FISCHER K, WHEELESS CR, LONGO R: Placental imaging with ^{113m}In transferrin and ^{99m}Tc serum albumin, 602–611
JARVIS JA: *see* STENCHEVER MA
JENKINS DM, FARQUHAR JB, OAKEY RE: Urinary estrogen excretion in prolonged pregnancy, 442–450
JEWELEWICZ R, NACHTIGALL LE: Pseudo-pseudohypoparathyroidism and pregnancy: *A Case Report*, 396–401
JONES HW JR: *see* BARAKAT BY
JUNGREIS E: *see* SCHENKER JG

Pages 1–164, January; 165–324, February; 325–486, March; 487–646, April; 647–806, May; 807–968, June.

K

KAISER IH: *see* SCHULMAN H
KALSTONE CL: *see* LAROS RK JR
KANTOR HI: *see* DIAZ A
KASKARELIS DB: *see* PREVEDOURAKIS CN
KAUFMAN RH: *see* ACOSTA AA
KEHRER AF: *see* ISACSON P
KELLY CS, GIBSON JL, WILLIAMS CS, LEIBOVITZ A: Postpartum rubella immunization: Results with the HPV-77 strain, 338–342
KETCHAM AS: *see* DECKERS PJ
KIM CK, ALTSHULER GP, BENIRSCHKE K: Karyotypic analysis of the X-Cell in the human placenta, 72–82
KIM CK, BENIRSCHKE K, CONNOLLY KS: Chorangioma of the placenta: Chromosomal and electron microscopic studies, 372–376
KIM MH, GUMPEL JA, CLEARY RE: Rapid pregnancy urinary estrogen assays: A comparative study, 820–825
KING AG: American's first cesarean section: *After Office Hours*, 799–804
KISKER CT: *see* STANDER RW
KLETZKY O: *see* HALBRECHT I
KOLSTAD P: *see* AURE JC
KOMLOS L: *see* HALBRECHT I
KRANTZ KE, BLAKEY J, YOSHIDA K, ROMITO JA: Demonstration of viability of perfused human term placenta, 183–191
KRMPOTIC E, ROSNICK MR, ZOLLAR LM: Genetic counseling: Secondary nondisjunction in partial trisomy 13, 381–390
KUZMINSKY T: *see* SHARF M

L

LAKOFF KM: *see* BOLOGNESE RJ
LANDESMAN R: An intrauterine device extractor: *Instrument and Method*, 618–619
LANGLEY FA: *see* FOX H
LAROS RK JR, KALSTONE CE: Sickle cell-beta thalassemia and pregnancy, 67–71
LARRAGA L: *see* VARMA K
LAUFE LE: A monitored forceps twin vertex delivery, 24–26
LAUFE LE, BERNSTEIN ED: Primary malignant melanoma of the vagina: *Views and Reviews*, 148–154
LEDGER WJ, REITE AM, HEADINGTON JT: A system for infectious disease surveillance on an obstetric service: *Ideas and Actions*, 771–780
LEHFELDT H, WAN LS: Unusual uterine perforation with a new instrauterine device, 826–831
LEIBOVITZ A: *see* KELLY CS
LEVINE MA: *see* Peterson EN
LINDHEIMER MD: *see* WESTON PV
LINKIE DM: *see* BOBA A
LONDON WT, CATALANO LW JR, NAHMIAS AJ, FUCCILLO DA, SEVER JL: Genital herpesvirus hominis type 2 infection of monkeys, 501–509
LONGO R: *see* JAMES AE JR
LOTKER M: *see* HALBRECHT I
LOVELL JR: *see* MARGULIS RR
LOWENSTEIN A, ZEVIN R: Digital rotation of the vertex: *Instrument and Method*, 792–793
LUND CJ: *see* HENDERSON SR
LYNN DR: *see* SHAPIRO LH

M

MABRAY CR: *see* ACOSTA AA
MACLENNAN AH: *see* FRENCH GL
MALCK JVS: Obstetrician-midwife partnership in obstetric care: *Graduate Education*, 314–319
MAHRAN M, FADEL HE, SALEH A: Human ovarian ligament: Structure and possible function, 713–723
MAKOWSKI EL: *see* THOMPSON HE
MALTER IJ, OMELL GH: Pelvic lipomatosis in a woman: *A Case Report*, 63–66
MA'LUF TJ, WEED JC: Chylous metrorrhea: *A Case Report*, 277–281
MARCUSE PM: Incipient microinvasive carcinoma of the uterine cervix: Morphology and clinical data of 22 cases, 360–367
MARGULIS RR, DUSTIN RW, LOVELL JR, ROBB H, JABS C: Heparin for septic abortion and the prevention of endotoxic shock: *Views and Reviews*, 474–483
MARKHAM SM: *see* DUDLEY AG
MCCREARY SA: *see* SPELLACY WN
MCDONOUGH PG, BYRD JR, FREEDMAN MA: Gonadal dysgenesis with ovarian function: Clinical and cytogenetic findings in six patients, 868–872
MCDONOUGH PG, SIMMONS RG: Pelvic pneumoperitoneum in intersex disorders: Asymmetrical gonadal dysgenesis, 368–371
MCEVOY D: *see* BECK WW JR
MCLENNAN CE: *see* MCLENNAN MT
MCLENNAN MT, MCLENNAN CE: Estrogenic status of menstruating and menopausal women assessed by cervicovaginal smears, 325–331
MCNIE TMCG: *see* DUDLEY AG
MERKOW LP, ACEVEDO HF, GILMORE J, PARDO M: Trophoblastic disease: A correlative ultrastructural and biochemical study, 348–357
MERKOW LP, SLIFKIN M, ACEVEDO HF, PARDO M, GREENBERG WV: Ultrastructure of an interstitial (Hilar) cell tumor of the ovary, 845–859
MERKOW LP: *see* ACEVEDO HF
MILES PA, TAYLOR HB, HILL WC: Hydatidiform mole in a clomiphene-related pregnancy: *A Case Report*, 358–359

Pages 1–164, January; 165–324, February; 325–486, March; 487–646, April; 647–806, May; 807–968, June.

MILLARD PR: *see* WABREK AJ
MING SC: *see* SOPHER IM
MOLTZ A: *see* Pomerance W
MONKHOUSE FC: *see* HEDLIN AM
MOORE DC, BRIDENBAUGH LD, BRIDENBAUGH PO, TUCKER GT: Caudal and epidural blocks with bupivacaine for childbirth: Report of 657 parturients, 669–678
MORROW G III: *see* O'NEILL RT
MUDD EH: *see* CHANG-SILVA AW

N

NACHTIGALL LE: *see* JEWELEWICZ R
NAHMIAS AJ: *see* LONDON WT
NESBITT REL JR, RIZK PT: Uterosacral ligament syndrome, 732–735
NEY C, POSNER AC, EHRLICH JC: Tubular adenoma of the kidney during pregnancy: Report of a patient and angiographic studies, 267–276
NOWICKI K: *see* ROSS M
NUTTALL FQ, WINDSCHITL HE: Achilles relex speed during pregnancy, 886–891

O

OAKEY RE: *see* JENKINS DM
OKAGAKI T, RICHART RM: Systemic proliferating angioendotheliomatosis: *A Case Report*, 377–380
O'LEARY JA: *see* REISMAN TM
OMELL GH: *see* MALTER IJ
O'NEIL WH: *see* BARBER HRK
O'NEILL RT, MORROW G III, HAMMEL D, AUERBACH VH, BARNESS LA: Diagnostic significance of amniotic fluid amino acids, 550–554

P

PALDI E: *see* ABRAMOVICI H
PALOMAKI JF, BLAIR OM: Hilus cell rest of the fallopian tube: *A Case Report*, 60–62
PARDO M: *see* MERKOW LP
PAUL RH, HON EH: Clinical fetal monitoring: A survey of current usage: *Views and Reviews*, 781–786
PEARSON JW: *see* HILL WC
PELEGRINA I: *see* FUERTES-DE LA HABA A
PERETZ A: *see* ABRAMOVICI H
PERETZ A: *see* Brandes JM
PETERSON EN, DIXON GD, LEVINE MA: Placental localization by liquid crystal thermography: *Ideas and Actions*, 468–473
PION RJ: *see* WABREK AJ
PIRO AJ: *see* SHIRLEY RL
PLOTZ EJ: *see* BOBA A
POLISHUK WZ: *see* SCHENKER JG
POMERANCE W, MOLTZ A: Ten-year survival in carcinoma of the ovary, 560–566
POSNER AC: *see* NEY C
PREVEDOURAKIS CN, STRIGOU-CHARALABIS E, KASKARELIS DB: Bacterial invasion of amniotic cavity during pregnancy and labor, 459–461
PURCELL RH: *see* HARWICK HJ

R

RANDOLPH G: *see* SCHULMAN H
RANGARAJAN NS: *see* ROSS M
RANKIN P JR: *see* HENLEY C
RANNEY B: Endometriosis IV. Hereditary tendency, 736–739
REEVES G: Specific stroma in the cortex and medulla of the ovary: Cell types and vascular supply in relation to follicular apparatus and ovulation, 832–844
REISMAN TM, O'LEARY JA: Portacaval shunt performed during pregnancy: *A Case Report*, 253–254
REITE AM: *see* LEDGER WJ
REYNOLDS SRM: Right ovarian vein syndrome: *Views and Reviews*, 308–313
RICHART RM: *see* OKAGAKI T
RIZK PT: *see* NESBITT REL JR
ROBB H: *see* MARGULIS RR
ROLAND M: Can the fern test be graded? *Editorial*, 794–798
ROMITO JA: *see* KRANTZ KE
ROMNEY SL: *see* SCHULMAN H
ROSNICK MR: *see* KRMPOTIC E
ROSS M, NOWICKI K, RANGARAJAN NS: Asymptomatic pulmonary embolism during pregnancy: *Ideas and Actions*, 131–133
ROTTINGHUIS H: *see* WOLFS G
RUTLEDGE FD: *see* FRANKLIN EW

S

SABOL ED, GIBSON JL, BOWES WA JR: Vasopressin injection in cervical conization: A double-blind study, 596–601
SALEH A: *see* MAHRAN M
SALTZSTEIN SL: *see* AYERS LR
SASAKI TT: *see* WOLF SR
SCHAEFFER AJ, HINES JR: Cecal volvulus after obstetric and gynecologic procedures: Report of 3 patients, 255–259
SCHENKER JG, JUNGREIS E, POLISHUK WZ: Oral contraceptives and serum copper concentration, 233–237
SCHLEICHER JW: *see* WILSON DH
SCHRAM JD: *see* SPELLACY WN
SCHULMAN H, KAISER IH, RANDOLPH G: Outpatient saline abortion, 521–526
SCHULMAN H, ROMNEY SL, RANDOLPH G: Maternal acid-base balance in labor, 740–743
SELENKOW HA: *see* VARMA K

Pages 1–164, January; 165–324, February; 325–486, March; 487–646, April; 647–806, May; 807–968, June.

SEVER JL: *see* LONDON WT
SHABANAH EH, TRICOMI V, SUAREZ JR: Stress and its influence on gestation, 574–579
SHAPIRO LH, LYNN DR, DIGIACOMO AM, ADRIAN DC: One-day oral ampicillin treatment of gonorrhea in young adults, 414–418
SHARF M, GRAFF G, KUZMINSKY T: Combined therapy with quinestrol and clomiphene in functional sterility, 260–266
SHIRLEY RL, PIRO AJ, CROCKER DW: Malignant neural elements in a benign cystic teratoma: *A Case Report*, 402–407
SIMMONS RG: *see* MCDONOUGH PG
SLIFKIN M: *see* MERKOW LP
SMITH GA: *see* IUPPA JB
SOPHER IM, MING SC: Fatal corpus luteum hemorrhage during anticoagulant therapy, 697–699
SPELLACY WN, BUHI WC, SCHRAM JD, BIRK SA, MCCREARY SA: Control of human chorionic somatomammotropin levels during pregnancy, 567–573
SPELLACY WN, GARGANO FP, BIRK SA: Serial sella turcica X-ray studies in women taking oral contraceptives: *Ideas and Actions*, 909–911
SPELLACY WN: *see* WATSON JD
STANDER RW, FLESSA HC, GLUECK HI, KISKER CT: Changes in maternal coagulation factors after intra-amniotic injection of hypertonic saline, 662–668
STENCHEVER MA, JARVIS JA: Cytogenetic studies in reproductive failure, 83–89
STEWART GK, GOLDSTEIN PJ: Therapeutic abortion in California: Effects on septic abortion and maternal mortality, 510–514
STORCH AS: Acute water retention associated with continuous slow infusion of oxytocin: *A Case Report*, 109–111
STRAUSS HW: *see* JAMES AE JR
STRIGOU-CHARALABIS E: *see* PREVEDOURAKIS CN
SUAREZ JR: *see* SHABANAH EH
SUGERBAKER EV: *see* DECKERS PJ
SYMONDS EM, WILLIAMS SS, CELLIER KM: Maternal and fetal influences on the acid-base balance of human amniotic fluid, 744–751

T

TAGUCHI YD: *see* ZIEL HK
TANGCHAI P: Vascular lesions in eclampsia: Possible relationship of juxtaglomerular apparatus and adrenal glomerulosa, 580–590
TAYLOR HB: *see* MILES PA
TAYLOR MB: Flexible arm support for the laparoscope: *Instrument and Method*, 918–919
THOMAS LB: *see* DECKERS PJ
THOMPSON HE, MAKOWSKI EL: Estimation of birth weight and gestational age, 44–47
THORNTON WN JR: *see* HARBERT GM JR
TOAFF R, AYALON D, GOGOL G: Clinical use of high concentration oxytocin drip, 112–120
TORPIN R: Placentation and mammalian phylogeny: *After Office Hours*, 942–948
TOUCHSTONE JC: *see* BOLOGNESE RJ
TRICOMI V: *see* SHABANAH EH
TUCKER GT: *see* MOORE DC
TURNER UG III: *see* ALLEN MS JR

V

VAIDYA RA, GLASS RH: Sperm-immobilizing and agglutinating antibodies in the serum of infertile women, 546–549
VAN LEEUWEN M: *see* WOLFS G
VARMA K, LARRAGA L, SELENKOW HA: Radioimmunoassay of serum human chorionic gonadotropin during normal pregnancy, 10–18
VEGA-DE RODRIGUEZ G: *see* FUERTES-DE LA HABA A

W

WABREK AJ, MILLARD PR, WILSON WB JR, PION RJ: Creation of a neovagina by the frank nonoperative method, 408–413
WADE ME: *see* WHITE SC
WALDRON KW, WOOD C: Cesarean section in the lateral position, 708–712
WALKOWIAK RG: Manual rotation of the transverse posterior occiput: *Instrument and Method*, 464–467
WALLACH EE: *see* BECK WW JR
WAN LS: *see* LEHFELDT H
WARTEL LJ: *see* WHITE SC
WATERHOUSE RB: *see* GOODNER DM
WATSON JD, SPELLACY WN: Neonatal effects of maternal treatment with the anticonvulsant drug diphenylhydantoin, 881–885
WAX SH: *see* HARBERT GM JR
WEED JC: *see* MA'LUF TJ
WEINSTEIN L, FARABOW S, GUSDON JP JR: Third stage of labor and transplacental hemorrhage, 90–93
WESTON PV, LINDHEIMER MD: Intermittent intestinal obstruction simulating hyperemesis gravidarum, 106–108
WHEELESS CR: *see* JAMES AE JR
WHITE SC, WARTEL LJ, WADE ME: Comparison of abdominal and vaginal hysterectomies: A review of 600 operations, 530–537
WILLIAMS CS: *see* KELLY CS
WILLIAMS S: *see* ISACSON P
WILLIAMS SS: *see* SYMONDS EM
WILSON DH, SCHLEICHER JW: Subarachnoid hemorrhage during pregnancy: *Report of a case*, 527–529
WILSON H: *see* ISACSON P
WILSON WB JR: *see* WABREK AJ
WINDSCHITL HE: *see* NUTTALL FQ
WOLF SR, SASAKI TT, CUSHNER IM: Assumption

of attitudes toward abortion during physician education: *Graduate Education*, 141–147
WOLFS G, VAN LEEUWEN M, ROTTINGHUIS H, BOELES JTHF: An electromyographic study of the human uterus during labor, 241–246
WOOD C: *see* WALDRON KW
WOODRUFF JD: *see* AZOURY RS
WOODRUFF JD: *see* BAGGISH MS
WRIGHT C: *see* BOYCE J
WYNN RM: *see* FRENCH GL

Y

YOSHIDA K: *see* KRANTZ KE

Z

ZARATE A: *see* CANALES ES
ZEVIN R: *see* LOWENSTEIN A
ZIEL HK, TAGUCHI YD: Selective conization of the cervix in endometrial cancer, 48–50
ZOLLAR LM: *see* KRMPOTIC E

Pages 1–164, January; 165–324, February; 325–486, March; 487–646, April; 647–806, May; 807–968, June.

Subject and Title Index

A

Abortion
  Attitudes of physicians towards, 141
  intre-amniotic hypertonic saline, changes in maternal coagulation, 662
  missed and inevitable, high concentration oxytocin drip, 112
  septic, heparin for, 474
  spontaneous, chromosome studies, 752
  therapeutic, paracervical implantation of fetal tissues, 757, specter of, 616
Abortus
  chromosome studies, 752
Abstracts
  nineteenth annual clinical meeting of the American College of Obstetricians and Gynecologists, 629
Achilles reflex speed during pregnancy, by FQ Nuttall, HE Windschitl, 886-891
Acid-base balance in labor, maternal, 740
Adenocanthoma originating in endometriosis of the ovary: A case report, by T Crist *et al*, 419–424
Adenocarcinoma of the ovary complicated by ectopic pregnancy: A case report, by G. Graff, 218–219
Adenoid basal lesions of the cervix, by MS Baggish, JD Woodruff, 807–809
Adequate prenatal nutrition, *Editorial*, by AT Fort, 286-288
Adenoma, tubular, of the kidney during pregnancy, 267
After Office Hours: 155–157, 320–322, 799–804, 942–948
Allograft, fetal, immunologic studies, 192
Amenorrhea
  gonadal dysgenesis, 868
  primary associated with cystic ovaries, 205
Amnion (human) nucleoside phosphatases in, 173
America's first cesarean section, *After Office Hours*, by AG King, 799–804
Amniotic cavity, bacterial invasion of during pregnancy and labor, 459
Amniotic fluid
  acid-base balance, maternal and fetal influences, 744
  detection of Y body, 912
estriol, correlation with fetal age and well-being, 437
Ampicillin, one-day treatment of gonorrhea, 414
Angioendotheliomatosis, systemic proliferating, 377
Angiographic studies, tubular adenoma of kidney during pregnancy, 267
Antibody
  Rubella determination during pregnancy, 343
Anomalous amniotic fluid bilirubin after hepatitis in an Rh immunized patient, by DR Aickin, DG Campbell, 689–690
Anticoagulant therapy, fatal corpus luteum hemorrhage, 697
Aortocaval compression during cesarean section: A cause of newborn depression, by RC Goodlin, 704
Aspirate, vaginal, atraumatic method in children, 462
Assumption of attitudes toward abortion during physician education, *Graduate Education*, by SR Wolf *et al*, 141–147
Asymptomatic pulmonary embolism during pregnancy, *Ideas and Actions*, by M Ross *et al*, 131–133
Attitudes toward abortion, assumption of during physician education, 141
Automatic staplers for vaginal hysterectomy and colpoplasties, *Instrument & Method*, by RO Albert, 297–307

B

Bacterial invasion of the amniotic cavity during pregnancy and labor, by CN Prevedourakis *et al*, 459
Bilirubin, amniotic fluid, anomolous after hepatitis in an Rh immunized patient, 689
Birth canal, relationship to bacterial flora of the neonatal respiratory tract and skin, 94
Birth weight and gestational age, estimation of, 44
Book Reviews:
  Biology and the Future of Man. Rev by SL Israel, 485
  Bonilla-Musoles F: Microscopia Electronica del Cervix Uterino. Rev by LA Peris, 323
  Clinical Obstetrics and Gynecology. Vol 13, No. 1. Rev by RK Freeman, 163
  Clinical Obstetrics and Gynecology. Vol 13, No. 2. Rev by RJ Bolognese, 645
  Cohen MR: Laparoscopy, Culdoscopy and Gynecography. Rev by SL Corson, 640
  Control of Human Fertility. Brit. Med Bull 26:/1: Jan 1970. Rev by SL Israel, 162
  Differential Diagnosis: The Interpretation of Clinical Evidence. Rev by RB Daniels, 160
  General Pathology. Rev by JP Decker, 323
  Jeroud A: The Nutrition of the Embryo. Rev. by GC Bentram, 162
  Lactogenesis. Rev by EE Wallach, 324
  Laufman MD, Erichson RB: Hematologic Problems in Surgery. Rev by DL Paskin, 640
  Manual of Family Planning and Contraceptive Practices. Rev by SL Israel, 485

Manual of Obstetrics. Rev by LS Loewenberg, 485
New Hope for the Childless Couple. Rev by SL Corson, 641
Novak ER, Jones GS, Jones HW Jr: Novak's Textbook of Gynecology. Rev by SL Israel, 164
Pierce Ruth I: Single and Pregnant. Rev by JB Franklin, 643
Practical Obstetrics. Rev by WG Slate, 644
Principles of Surgery. Vol 1 and 2. Rev by PV Moulder, 161
Progesterone: Its Regulatory Effect on the Myometrium. Rev by KR Gottesfield, 642
Kaufman AM: Interview with Sex. Rev by JR Marshall, 485
Smith SW: Total Pregnancy Estrogens: An Index of Fetal Well-Being. Rev by RJ Bolognese, 161
Stevenson AC, Davison BCC: Genetic Counseling. Rev by LA Peris, 323
The Queen Charlotte's Textbook of Obstetrics. Rev by KA Baer, 486
Tunnadine LPD: Contraception and Sexual Life: A Therapeutic Approach. Rev by SL Israel, 643
Wershub LP: Urology: From Antiquity to the 20th Century. Rev by CW Charny, 642
Breast Feeding, nutritional value of human milk, 126
Bupivacaine, caudal and epidural block with for childbirth, 669

C

Cancer
  cervical, recurrent after primary surgery, 165
  endometrial, selective conization of cervix, 48
Can the Fern test be graded? *Editorial*, by M Roland, 794–798
Carbohydrate metabolism in long-term oral contraceptive users, by A Fuertes-de la Haba *et al*, 220–224
Carcinoma
  cervix, in situ, colposcopy and electrocoagulation, 360–367, 623–628
    pelvic exenteration for, 649
  mesonephroid, of ovary, 860
  ovary, clinical and histologic study in 990 cases, 1
  vulva, epidermoid, prognostic factors, 892
Catecholamine response to radical pelvic operation, by J Boyce, Christina Wright, 902–905
Caudal and epidural blocks with bupivacaine for childbirth: Report of 657 parturients, by DC Moore *et al*, 669–678
Cecal volvulus after obstetric and gynecologic procedures: Report of 3 patients, by AJ Schaffer, JR Hines, 255–259
Cephalometry, ultasonic B scan, predicting fetal weight by, 691
Cervical cancer, recurrent, after treatment by a primary surgical program, by HRK Barber, WH O'Neill, 165–172
Cervicovaginal smears, estrogenic status of menstruating and menopausal women, 325
Cervix
  adenoid basal lesions, 807
  cancer, recurrent after treatment by primary surgical program, 165
  carcinoma, incipient microinvasive, 360
  carcinoma, pelvic exenteration for, 649
  conization of, vasopressin injection in, 596
  dysplasia and carcinoma in situ, colposcopy and electrocoagulation for, 623
  endometrial cancer, conization of, 48
  fern test, can it be graded? 794
Cesarean section
  aortocaval compression, 704
  acid-base balance, maternal, 740
  lateral position for, 708
  passage of inulin from gravida to fets, 877
Cesarean section in the lateral position, by KW Waldron, C Wood, 708
Changes in maternal coagulation factor after intra-amniotic injection of hypertonic saline, by RW Stander *et al*, 662
Changes in spontaneous fibrinolytic activity during use of oral contraceptives, by AM Hedlin, FC Monkhouse, 225–232
Children, vaginal aspirate studies, atraumatic method, 462
Cholesterol excretion in urine in women with genital neoplasma, 425
Chorioangiomas and their clinical implications, by LA Froehlich *et al*, 51–59
Chorangioma of the placenta: Chromosomal and electron microscopic studies, by CK Kim *et al*, 372–376
Chorionic gonadotropin (human)
  combined with dexamethasone in diagonsis of polycystic disease, 211
  radioimmunoassay in serum during pregnancy, 10
Chromosome studies
  cytogenetic studies of reproductive failures, 83
  detection of Y body in amniotic fluid cells, 912
  gonadal dysgenesis with ovarian function, 868
  spontaneous abortion, 752
  trisomy D in cyclops, 391
  trisomy 13, secondary nondisjunction in, 381
  X-cell in human placenta, karyotype analysis, 72
Chromosome studies in selected spontaneous abortions. III. Early pregnancy loss, by DH Carr, 752–756
Circumcision, dorsal slit, 619
Chylous metrorrhea: A case report, by TJ Ma'Luf, JC Weed, 277–281
Clinical and histologic studies of ovarian carcinoma: long term-follow-up of 900 cases, by JC Aure *et al*, 1–9
Clinical fetal monitoring: A survey of current

usage, Views and Reviews, by RH Paul, EH Hon, 781–786
Clinical use of high concentration oxytocin drip, by R Toaff *et al*, 112–120
Clomiphene
combined therapy with Quinestrol in functional sterility, 260
pregnancy, hydatidiform mole in, 358
Coagulation factors, change in maternal after intra-amniotic hypertonic saline, 662
Coagulopathy, disseminated intravascular, severe preeclampsia and hydatidiform mole complicating a 20-week pregnancy, 724
Colpoplasties, automatic staplers for, 297
Colposcopy and electrocoagulation-diathermy for cervical dysplasia and carcinoma in situ, *Ideas and Actions*, by W Chanen *et al*, 623
Combined dexamethasone and human chorionic gonadotropin in diagnosis of ploycystic disease, by WW Beck *et al*, 211–217
Combined therapy with Quinestrol and clomiphene in functional sterility, by M Sharf *et al*, 260–266
Comparative study of live attenuated rubella virus vaccine during the immediate puerperium, by P Isacson *et al*, 332–337
Complications, postpartum, febrile, *Mycoplasma hominis* and, 767
Congenital anomalies, chromosome studies, 752
Conization, cervical, vasopressin injection in, 596–601
Conization, selective, of the cervix in endometrial cancer, 48
Conjoined twins, by HL Compton, 27–33
Contraceptives
intrauterine
extractor,
uterine perforation, 626
oral
carbohydrate metabolism in long-term uses, 220
copper concentrations in serum, 233
fibrinolytic activity, spontaneous changes during, 225
sella turcica x-rays before and during, 909
Corpus luteum hemorrhage, fatal, during anticoagulant therapy, 697
Correlation of amniotic fluid estriol with fetal age and well-being, by RJ Bolognese *et al*, 437–441
Creation of a neovagina by the Frank nonoperative method, by AJ Wabrek *et al*, 408–413
Curettage
vacuum, paracervical implantation of fetal tissue, 757
Cyclops, trisomy D in, 391
Cytogenetic studies in reproductive failure, by MA Stenchever, Jane A Jarvis, 83–89

D

Delivery
bupivacaine for caudal and epidural block, 669
digital rotation of the vertex, 792
immature and premature, high concentration oxytocin drip, 112
midforceps, elective versus indicated, 19
monitored forceps twin vertex, 24
transverse posterior occiput, manual rotation, 464
Demonstration of viability of perfused human term placenta, by KE Krantz *et al*, 183–191
Determination of fetal sex during the second trimester of pregnancy: A reliable culture method, *Instrument & Method*, by BY Barakat *et al*, 134–140
Dexamethasone, combined with human chorionic gonadotropin in diagnosis of polycystic ovarian disease, 211
Diagnosis of polycystic disease, combine dexamethasone and human chorionic gonadotropin in, 211
Digital rotation of the vertex, *Instrument & Method*, by A Lowenstein, R Zevin, 792–793
Diphenylhydantoin, neonatal effects of maternal treatment with, 881
Dorsal slit: A circumcision alternative, *Instrument & Method*, by A Diaz, HI Kantor, 619–622
Down's syndrome, prenatal diagnosis by X-ray, 394

E

Editorials: 126–129, 286–288, 616–617, 794–798, 906–908
Education, physician, assumption of attitudes toward abortion, 141
Elective versus indicated midforceps delivery: A comparative study, by AG Dudley *et al*, 19–23
Electrocoagulation-diathermy, colposcopy and, for cervical dysplasia and carcinoma in situ, 623
Electromyographic study of the human uterus during labor, by G Wolfs *et al*, 241–246
Embolism, asymptomatic pulmonary, during pregnancy, 131–133
Emil Novak Tumor Registry, Report of 43 primary ovarian sarcomas form, 920
Endocrine studies, primary amenorrhea associated with cystic ovaries, 205
Endometrial cancer, selective conization of the cervix in, 48–59
Endometriosis
confined to uterosacral ligament, 732
hereditary tendency, 736
ovarian, adenocanthoma orginating in, 419
Endometriosis, IV. Hereditary tendency, by B Ranney, 736–739

Endotoxic shock, prevention of heparin for septic abortion and, 474
Epidural and caudal block with bupivacaine for childbirth, 669
Estimation of birth weight and gestational age, by HE Thompson, EL Makouski, 44–47
Estrogen
  status of menopausal and menstruating women, cervicovaginal smears, 325
  urinary, assays of, 820
  urinary in prolonged pregnancies, 442
Estrogenic status of menstruating and menopausal women assessed by cervicovaginal smears, by Margaret T McLennan, CE McLennan, 325–331
Exenteration, pelvic, for primary carcinoma of the uterine cervix, 649

F

Fallopian tube, hilus cell rest of, 60
Family planning, psychosexual response and attitude of pregnant women, 289
Fatal corpus luteum hemorrhage during anticoagulant therapy, by IM Sopher, SC Ming, 697–699
Fern test, can it be graded? 794
Fetal allograft, immunologic studies, 192
Fetal deprivation, and placental insufficiency, *Editorial*, by P Gruenwald, 906–908
Fetal effects of spinal hypotension: Observations in the dog at term of pregnancy, by A Boba, 247–252
Fetal tissue, iatrogenic, paracervical implantation during therapeutic abortion, 752
Fetus
  age and well being correlated with amniotic fluid estriol, 437
  amniotic fluid acid-base balance, influence of, 744–751
  birthweight and gestational age estimations, 44
  chorioangiomas, clinical implications, 51
  effect of spinal hypotension on dog, 247
  hypoxia and infection in leukocytic infiltration of placenta and umbilical cord, 451
  inulin, passage from mother to fetus, 877
  maternal position during labor, effect on, 700
  monitoring, a survey of, 781
  placental insufficiency, deprivation of the, 906
  sex determination, prenatal, 134, 912
  Twenty-week pregnancy complicated by preeclampsia, disseminated intravascular coagulopathy, and hydatidiform mole, 724
  weight, prediction by ultrasonic B-scan cephalometry, 691
Fibrinolytic activity, spontaneous, changes in during oral contraception, 225
Flexible arm support for the laparoscope, *Instrument & Method*, by MB Taylor, 918–919
Follicle migration, specific stroma in cortex and medulla of ovary related to, 832
Forceps, metric divergent, twin vertex delivery, 24
Frank nonoperative method, creation of neovagina, 408

G

Genetic counseling: Secondary nondisjunction in partial trisomy 13, by Eva Krmpotic *et al*, 381–390
Gestational age, birth weight and, estimation of, 44
Glioblastoma, malignant, 402
Gonadal dysgenesis with ovarian function: Clinical and cytogenetic findings in six patients, by PG McDonough *et al*, 868–872
Gonadal dysgenesis, pelvic pneumoperitoneum in, 368–371
Gonorrhea, one-day ampicillin treatment, 414
Graduate Education: 141–147, 314–319

H

Hemorrhage, corpus luteum, fatal, during anticoagulant therapy, 679
  transplacental and third stage of labor, 90
Heparin
  antepartum, outpatient intravenous therapy for ileofemoral thrombophlebitis, 787
  septic abortion and the prevention of endotoxic shock, *Views and Reviews*, by RR Margules *et al*, 474–483
Hepatitis, anomalous amniotic fluid bilirubin after in an RH immunized patient, 689
Hereditary tendency, endometriosis, 736
Hilar cell tumor of the ovary, ultrastructure of, 845
Hilus cell rest of the fallopian tube: A case report, by JF Palomaki, Olga M Blair, 60–62
Human ovarian ligament: Structure and possible function, by M Mahran *et al*, 713–723
Hydatidiform mole
  clomiphene-related pregnancy, 358
  complicating 20-week pregnancy, 724
  ultrastructural morphology, 348
  urinary pigment/creatinine ratio, 763
Hyperemesis gravidarum, intermittent intestinal obstruction simulating, 106 Hypertonic saline, intra-amniotic injection, changes in maternal coagulation factor after, 662
Hypotension, supine
  during cesarean section, 704
  during labor, 700
  spinal, effects on dog fetus, 247
Hysterectomy, vaginal, automatic staplers for, 297

I

Iatrogenic paracervical implantation of fetal tissue during therapeutic abortion: A case report, by LR Ayers *et al*, 757–762
Ideas and Actions: 131–133, 289–296, 468–473, 623–628, 771–780, 909–911

Ileofemoral thrombophlebitis, outpatient intravenous heparin therapy antepartum, 787
Immunization
rubella, postpartum (HPV strain), 338
rubella, live attenuated vaccines, comparison of, 332
Immunologic studies of the fetal allograft, by JP Gusdon, 192–204
Importance of the lateral position during labor, by RC Goodlin, 700–703
Incipient microinvasive carcinoma of the uterine cervix: Morphology and clinical data on 22 cases, by PM Marcuse, 360–367
Infectious disease surveillance, a system for on an obstetric service, 771 Inhibition of human premature labor by mesuprine hydrochloride, by TP Barden, 98–105
Instrument & Method: 134–140, 297–307, 462–464, 618–619, 619–622, 787–791, 792–793, 912–915, 915–918, 918–919
Intermittent intestinal obstruction simulating hyperemesis gravidarum, by PV Weston, MD Lindheimer, 106–108
Intersex disorders, pelvic pneumoperitoneum in, 368–371
Intestinal obstruction, intermittent, simulating hyperemesis gravidarum, 106
Intrauterine (An) device extractor, *Instrument & Method*, by R Landesman, 618–619
Intrauterine device, new, unusual uterine perforation with, 826
Intrauterine pregnancy and coexistent pelvic inflammatory disease, by AA Acosta *et al*, 282–285
Inulin, passage from gravida to fets in normal pregnancy and during cesarean section, 877

K

Karyotypic analysis of the X cell in the human placenta, by CK Kim *et al*, 72–82
Karyopycnotic indices, menstruating and menopausal women, 325–331
Kidney
adenoma of during pregnancy, 267–276
pelvic, 612–615
transplantation, menstrual cycle and reproducive potential after, 121

L

Labor
bacterial invasion of amniotic cavity during, 459
electromyographic study, 241
lateral position during, importance of, 700
maternal acid-base balance, 740
oxytocin, slow continuous infusion, water intoxication, 109
premature, inhibition by mesuprine hydrochloride, 98
succinylcholine, effect on, 591
transplacental hemorrhage in third stage of, 90
Laparoscope, flexible arm support for, 918
Lateral position
cesarean section in, 708
during labor, importance of, 700
Letters: 158–159, 805–806, 949–952
Leukocyte infiltration of the placenta and umbilical cord: A clinicopathologic study, by H Fox, FA Langley, 451–458
Ligament
ovarian, structure and possible function, 713
uterosacral, syndrone, 732
Lipomatosis, pelvic in a woman, 63

M

Malignant neural elements in a benign cystic teratoma: A case report, by RJ Shirley *et al*, 402–407
Manual rotation of the transverse posterior occiput, *Instrument & Method*, by RG Walkowiak, 464–467
Maternal acid-base balance in labor, by H Schulman *et al*, 740–743
Maternal and fetal influences on the acid-base balance of human amniotic fluid, by EM Symonds *et al*, 744–751
Melanoma, primary malignant of vagina, 148–154
Menopause, estrogenic status assessed by cervicovaginal smears, 325
Menstrual cycle and reproductive potential after kidney transplantation: Report of 2 patients, by H Abramovici *et al*, 121–125
Menstruation
and reproductive potential after kidney transplant, 121
Mesonephroid tumors of the ovary: Clinical and histopathologic studies, by JC Aure *et al*, 860–867
Mesuprine hydrochloride, inhibition of human premature labor, 98
Metrorrhea, chylous, 277
Microinvasive incipient carcinoma of the uterine cervix, 360
Midforceps delivery, elective versus indicated, 19
Midwife, obstetrician-partnership in obstetric care, 314
Milk, human, nutritional value of, 126
Mongolism, prenatal diagnosis by X-ray, 394
Monitored forceps twin vertex delivery, by LE Laufe, 24–26
Monitoring, clinical, fetal, 781
Multichannel automatic natality sensor with instantaneous computer-integrator and audiovisual recorder: A new instrument, *After Office Hours*, by JF Hulka, 155–157
Mycoplasma hominis and postpartum febrile complications, by HJ Harwick *et al*, 767–770
Myometrial activity, human, effect of succinylcholine on, 591

Pages 1–164, January; 165–324, February; 325–486, March; 487–646, April; 647–806, May; 807–968, June.

N

Natalitysensor, multichannel automatic with instantaneous integrator and audiovisual recorder, 155
Neonatal effects of maternal treatment with the anticonvulsant drug diphenylhydantoin, by JD Watson, WN Spellacy, 881–885
Neonate
  bacterial flora of respiratory tract and skin, 94
  respiratory distress caused by aortacaval compression during cesarean section, 704
Neoplasma
  angioendothelioma, systemic proliferating, 377
  cervix, adenoid basal, 807
  genital system, urinary cholesterol in, 425
  malignant melanoma of the vagina, 148
  metastatic trophoblastic disease, ultrastructural and biochemical study, 348
  primary ovarian sarcomas, 920
Neovagina, creation by Frank nonoperative method, 408
Newborn depression, aortacaval compression during cesarean section, a cause of, 704
Nucleoside phosphatases in human amnion: Ultrastructural localization, by GL French *et al*, 173–182
Nutrition, adequate prenatal, 286
Nutritional value of human milk, *Editorial*, by JD Baum, 126–129

O

Obstetric and gynecologic procedures, cecal volvulus after, 255
Obstetric care, obstetrician-midwife partnership in, 314
Obstetric service, infectious disease surveillance, 771
Obstetrician-midwife partnership in obstetric care, *Graduate Education*, by JVS Maek, 314–319
Obstruction, intermittent intestinal, simulating hyperemesis gravidarum, 106
Occiput, transverse posterior, manual rotation of, 464
One-day oral ampicillin treatment of gonorrhea in young adults, by LH Shapiro *et al*, 414–418
Oral contraceptives and serum copper concentration, by JG Schenker *et al*, 233–237
Outpatient intravenous heparin therapy for antepartum ileofemoral thrombophlebitis, *Instrument & Method*, by WC Hill, JW Pearson, 787–791
Ovarian function, gonadal dysgenesis with, 868
Ovarian ligament (human), structure and possible function, 713
Ovarian (right) syndrome, 308
Ovary
  adenocanthoma originating in endometriosis of the, 419
  adenocarcinoma of complicated by ectopic pregnancy, 218
  carcinoma, clinical and histologic study in 990 cases, 1
  cystic, primary amenorrhea in, 205
  interstitial, hilar cell tumor, ultratructure of, 845
  mesonephroid tumors of, clinical and histopathologic studies, 860
  polycystic disease, combined dexamethasone and HCG in diagnosis, 211
  primary sarcomas of, 920
  stroma in cortex and medulla, 832
Ovulation, relation of specific stroma in cortex and medulla of ovary, 832
Oxytocin
  acid-base balance in labor, 740
  high concentration drip in septic abortion, premature and immature labor, 112
  infusion, acute water intoxication, 109

P

Paracervical implantation of fetal tissue during therapeutic abortion, 757
Parturition, bacterial flora of neonate, 94
Passage of inulin from gravida to fetus in normal pregnancy and during cesarean section, by JM Brandes *et al*, 877–880
Patient care, obstetrician-midwife partnership in, 314
Pelvic exenteration for primary carcinoma of the uterine cervix, by PJ Decker *et al*, 649
Pelvic
  inflammatory disease, coexistent intrauterine pregnancy and, 282
  kidney, by C Henley, PP Rankin, 612–615
  lipomatosis in a woman: A case report, IJ Malter, GH Omell, 63–66
  operation, radical, catecholamineresponse to, 902
  pneumoperitoneum in intersex disorders: Asymmetrical gonadal dysgenesis, by PG McDonough, RG Simmons, 368–371
Phylogeny, mammalian, placentation and, 942
Physician education, assumption of attitudes toward abortion, 141
Placenta
  chorioangioma, clinical implications, 51, 372
  imaging, 602
  insufficiency, 906
  leukocyte infiltration, 451
  localization by thermography, 468
  karyotypic analysis of C-cell, 72
  perfused, demonstration of viability, 183
  twin, zygosity determination, 34
Placental imaging with ^{113m}In transferrin and ^{99m}Tc serum albumin, by AE James *et al*, 602–611
Placental insufficiency, fetal deprivation and, 906
Placental localization by liquid crystal thermog-

raphy, *Ideas and Actions*, by EN Peterson *et al*, 468
Placentation and mammalian phylogeny, *After Office Hours*, by R Torpin, 942–948
Pneumoperitoneum, pelvic, in intersex disorders, 368
Polydipsia, psychogenic, acute water intoxication in pregnancy at term, 873
Portacaval shunt performed during pregnancy: A case report, by TM Reisman, JA O'Leary, 253–254
Poseiro effect, 700
Posterior occiput, transverse, manual rotation of, 464
Postpartum febrile complications, *Mycoplasma hominis* and, 761
Postpartum rubella immunization: Results with HPV-77 strain, by CS Kelly *et al*, 338–342
Predicting fetal weight by ultrasonic B-scan cephalometry, by A Ianniruberto, JM Gibbons, 691–696
Preeclampsia,
  acid-base balance, 740
  consumption coagulopathy and hydatidiform mole complicating 20-week pregnancy, 724
Pregnancy
  achilles reflex speed, 886
  adenoma of kidney, 267
  bacterial invasion of amniotic cavity, 459
  chorionic gonadotropin (human) radioimmunoassay, 10
  chorioangioma, clinical implications, 51
  clomiphene-related, hydatidiform mole in, 358
  diphenylhydantoin, effect on neonate, 881
  Down's syndrome, prenatal diagnosis, 442
  ectopic, adenocarcinoma of ovary complicating, 218
  estrogen, urinary assays, 820
  family planning, attitude and psychosexual response, 289
  fetal sex determination, 134, 912
  hypotension, spinal, at term, effects on fetus (dogs),
  intestinal obstruction, 106
  inulin, passage from gravida to fetus, 877
  nutrition, adequate prenatal, 286
  pelvic inflammatory disease coexistent with, 282
  portacaval shunt performed during, 253
  preeclampsia, disseminated intravascular coagulopathy and hydatidiform mole complicating, 724
  pseudo-pseudohypoparathyroidism, 396
  psychogenic polydipsia, acute water intoxication, 873
  pulmonary embolism, 131
  rubella antibody determination, 343
  sex determination, prenatal, 912
  sickle cell B-thalassemia, 67
  thrombophlebitis, ileofemoral, outpatient intravenous heparin antepartum, 287
  urinary pigment/ creatinine ration in normal and molar, 763
Premature labor, human, inhibition by mesuprine hydrochloride, 95
Prenatal diagnosis of Mongolism by X-ray, BY SJ Birnbaum, 394–395
Prenatal nutrition, adequate, 286
Prenatal sex determination: Detection of "Y body", *Instrument & Method*, by J. Cervenka *et al*, 912–915
Primary amenorrhea associated with cystic ovaries: Endocrine, cytogenetic and therapeutic considerations, by ES Canales *et al*, 205–210
Primary malignant melanoma of the vagina, *Views and Reviews*, by LE Laufe, ED Bernstein, 148–154
Primary ovarian sarcomas: Report of 43 cases from the Emil Novak Tumor Registry, *Views and Reviews*, by RS Azoury, JD Woodruff, 920–941
Prognostic factors in epidermoid carcinoma of the vulva, by EW Franklin III, FD Rutledge, 892–901
Pseudo-pseudohypoparathyroidism and pregnancy: A case report, by R Jewelewicz, Lila E nachtigall, 396–401
Psychogenic polydipsia causing acute water intoxication in pregnancy at term, DM Goodner *et al*, 873–876
Psychosexual response and attitudes toward family planning: A study of 100 pregnant women, *Ideas and Actions*, by AW Chang-Silva *et al*, 289–296
Puerperium, live attenuated rubella virus vaccine during, comparative study, 332
Pulmonary embolism, asymptomatic during pregnancy, 131

Q

Quinestrol, clomiphene and, combined therapy in functional sterility, 260

R

Radical pelvic operation, catecholamine response to, 902
Radioimmunoassay of serum human chorionic gonadotropin during normal pregnancy, by K Varma *et al*, 10–18
Rapid pregnancy urinary estrogen assays: A comparative study, by MH Kims *et al*, 820–825
Relationship of the birth canal to the bacterial flora of the neonatal respiratory tract and skin, by HE Evans *et al*, 94–97
Reports on Current Investigations, Abstracts of papers presented at the Nineteenth Annual Clinical Meeting of the American College of Obstetricians and Gynecologists, May 3–6, 1971, 629–639
Reproductive failure, cytogenetic studies, 83

Reproductive potential, menstrual cycle and, after kidney transplantation, 125
Rh immunized patient, anomalous amniotic fluid bilirubin after, hepatitis in, 689
Right ovarian vein syndrome, *Views and Reviews*, by SRM Reynolds, 308–313
Respiratory tract, neonatal, and skin flora of, relationship to birth canal, 94
Rotation
  manual, transverse posterior occiput, 464
  vertex, digital, 792
Rubella antibody determination among pregnant women in US military communities in Europe, by KE Guenter, LA Estela, 343–347
Rubella
  antibody determination in pregnant women, 343
  immunization postpartum (HPV-77 strain), 338
  live attenuated virus vaccines, comparison, 332

S

Saline, hypertonic, intra-amniotic injection of, changes in maternal coagulation factors, 662
Salivary vulvitis, by BA Davis, 238–240
Sarcoma, primary ovarian, 920
Second front, opening of, 320
Selective conization of the cervix in endometrial cancer, by HK Ziel, YD Taguchi, 48–59
Sella turcica, serial X-ray studies in women taking oral contraceptives, 909
Septic abortion and prevention of endotoxic shock, heparin for, 474
^{99m}Tc serum albumin, ^{113m}In transferrin and, placental imaging with, 602
Serial sella turcica X-ray studies in women taking oral contraceptives, *Ideas and Actions*, by WN Spellacy *et al*, 909–911
Severe preeclampsia, disseminated intravascular coagulopathy and hydatidiform mole complicating a 20-week pregnancy with fetus, by SR Henderson, CJ Lund, 724–731
Sex determination (fetal) during second trimester of pregnancy, culture method, 134
Sex determination, prenatal, 912
Shock, endotoxic, and septic abortion, heparin in, 474
Sickle cell B-thalassemia and pregnancy, CE Kalstone, 67–71
Skin, neonatal, respiratory tract and, flora of, relationship of birth canal to, 94
Sound, the wing, a new uterine measuring devise, 915
Specific stroma in the cortex and medulla of the ovary: Cell types and vascular supply in relation to follicular apparatus and ovulation, G Reeves, 832–844
Spinal hypotension, fetal effects of, observations in dog at term pregnancy, 247
Sterility, functional, combined therapy with Quinestrol and clomiphene, 260
Succinylcholine effect on human myometrial activity, by JB Iuppa *et al*, 591–595
Surveillance, infectious disease, on an obstetric service, 771
Syndrome, right ovarian vein, 308
System (A) for infectious disease surveillance on an obstetric service, *Ideas and Actions*, by WJ Ledger *et al*, 771–780
Systemic proliferating angioendotheliomatosis: A case report, by T. Okagaki, RM Richart, 377–380

T

Teratogenicity, diphenylhydantoin, 881–885
Teratoma, benign cystic, malignant neuronal elements in, 402
Testosterone, topical, for benign vulvar dystrophy, 679
Thalassemia, sickle cell, and pregnancy, 67
The fifth horseman: A specter of therapeutic abortion, *Editorial*, by RL Burt, 616–617
The opening of the second front: Dr. Berman and the ladies, *After Office Hours*, 320–322
Therapeutic considerations, primary amenorrhea associated with cystic ovary, 205
Thermography, liquid crystal, placantal localization with, 468
Third stage of labor and transplacental hemorrhage, by L. Weinstein *et al*, 90–93
Thrombophlebitis, ileofemoral, antepartum outpatient intravenous heparin therapy for, 787
Topical testosterone foi benign vulvar dystrophy, by EG Friedrich Jr, 679–688
Transplantation, kidney, menstrual cycle and reproductive potential after, 121
^{113m}In transferrin and ^{99m}Tc serum albumin, placental imaging with, 602–611
Transverse posterior occiput, manual rotation of, 464
Trisomy D in cyclops: A case report, by I Halbrecht *et al*, 391
Trisomy 13, secondary nondisjunction in, genetic counseling, 381
Trophoblastic disease: A correlative ultrastructural and biochemical study, by LP Merkow *et al*, 348
Tubular adenoma of the kidney during pregnancy: Report of a patient and angiographic studies, by C Ney *et al*, 267
Twin placentation and zygosity, by T. Fujikura, LA Froehlich, 34
Twins
  chorioangioma, clinical implications, 51
  conjoined, 27–33
  placentation and zygosity, 34
  vertex delivery, monitored forceps, 24

Pages 1–164, January; 165–324, February; 325–486, March; 487–646, April; 647–806, May; 807–968, June.

199046

U

Ultrasonic B scan cephalometry, predicting fetal weight by, 691
Ultrastructure of an interstitial (hilar) cell tumor of the ovary, LP Merkow *et al*, 845–859
Ultrastructural localization of nucleoside phosphatases in human amnion, 173–182
Umbilical cord, leukocyte infiltration, 451
Unusual uterine perforation with a new intrauterine device, 826
Urinary cholesterol. IV: Its excretion in women with neoplasms of the genital system, by HF Acevedo *et al*, 425–436
Urinary estrogen assays during pregnancy, 820
Urinary estrogen excretion in prolonged pregnancies, by DM Jenkins *et al*, 442–450
Urinary pigment/creatinine ratio in normal and molar pregnancy, by Claire AB Franklin *et al*, 763–766
Urinary tract infection, system for surveillance on obstetric service, 771
Urogenital tract anomaly, pelvic kidney 612
Uterine perforation, unusual, with new intrauterine device, 826
Uterine measuring device, the wing sound, 915
Uterosacral ligament syndrome, by RE Nesbitt, PT Rizk, 732–735
Uterus
  electromyography study during labor, 241
  succinylcholine effect 591

V

Vaccines
  rubella, live attenuated during puerperium, comparison, 332
  rubella, HPV-77 strain, postpartum, 338
Vagina
  malignant melanoma of, 148
  neovagina created by Frank nonoperative method, 408
Vaginal spirate studies in children: An atraumatic method, *Instrument & Method*, by VJ Capraro, 462–464
Vasopressin injection in cervical conization: A double-blind study, by ED Sobol *et al*, 596–601
Vertex, digital rotation of, 792
Vertex delivery, twins, monitored forceps, 24
Views and Reviews: 148–154, 308–313, 474–483, 781–786, 920–941
Volvulus, cecal, after obstetric and gynecologic procedures, 255
Vulva
  epidermoid carcinoma of, prognostic factors, 892
  dystrophy, benign, topical testosterone for, 679
Vulvitis, salivary, 238

W

Water intoxication, acute in pregnancy at term, psychogenic polidypsia causing, 873
Water retention, acute, associated with continuous slow infusion of oxytocin: A case report, by AS Storch, 109–111
Wing sound: A new uterine measuring device, *Instrument & Method*, by HM Hasson, 915–918

X

X-cell in human placenta, karyotypic analysis, 72

Y

Y body, detection of, prenatal sex determination, 912

Z

Zygosity, twin placentation and, 34

Pages 1–164, January; 165–324, February; 325–486, March; 487–646, April; 647–806, May; 807–968, June.